

## 参考文献

- (1) T. Naito, N. Shimojoh, T. Tanaka, H. Nakamoto, M. Doi, T. Ueki and M. Suyama, “1 Terabit/s WDM transmission over 10000 km”, *ECOC '99*, **PD2-1**, Nice, France (1999.9).
- (2) T. Turitani, A. Agata, I. Morita and N. Edagawa, “21.4 Gbit/s x 56 WDM 9170 km transmission using symmetrically dispersion-managed fiber span”, *ECOC '01*, **PD.M.1.6**, Amsterdam, The Netherlands (2001.9).
- (3) J. Cai, M. Nissov, A. Pilipetskii, C. Davidson, R. Mu, M. Mills, L. Xu, D. Foursa, R. Menges, P. Corbett, D. Sutton and N. Bergano, “1.28 Tbit/s (32 x 40 Gbit/s) transmission over 4500 km”, *ECOC '01*, **PD.M.1.2**, Amsterdam, The Netherlands (2001.9).
- (4) L. F. Mollenauer and P. V. Mamyshev, “Massive Wavelength-Division Multiplexing with Solitons”, *IEEE Journal of Quantum Electronics*, vol. **34**, no. 11, pp.2089-2102 (1998).
- (5) K. Fukuchi, T. Kasamatsu, M. Morie, R. Ohhira, T. Ito, K. Sekiya, D. Ogasahara and T. Ono, “10.92-Tbit/s (273 x 40 Gbit/s) triple-band/ultra-dense WDM optical-repeated transmission experiment”, *OFC '01*, **PD24**, Anaheim, USA (2001.3).
- (6) S. Bigo, Y. Frignac, G. Charlet, W. Idler, S. Borne, H. Gross, R. Dischler, W. Poehlmann, P. Tran, C. Simonneau, D. Bayart, G. Veith, A. Jourdan and J. Hamaide, “10.2 Tbit/s (256 x 42.7 Gbit/s PDM/WDM) transmission over 100 km TeraLight™ fiber with 1.28 bit/s/Hz spectral efficiency”, *OFC '01*, **PD25**, Anaheim, USA (2001.3).
- (7) S. Namiki, “Enabling fiber technologies for massive WDM and TDM soliton transmission systems”, *Massive WDM and TDM Soliton Transmission Systems*, pp. 327-350, A. Hasegawa Ed. Kluwer Academic Publishers (2000).
- (8) 小野隆志、矢野隆、福知清、伊東俊治、山崎裕幸、山口昌幸、江村克己, “光デュオバイナリ方式を用いたWDM高密度多重化の検討”, 電子情報通信学会技術研究報告(光通信システム), **OCS-96-59**, 山形大学 (1996.11).
- (9) H. Sotobayashi, W. Chujo and K. Kitayama, “1.6 bit/Hz, 6.4 Tbit/s OCDM/WDM (4 OCDM x 40 WDM x 40 Gbit/s) transmission experiment”, *ECOC '01*, **PD.M.1.3**, Amsterdam, The

- Netherlands (2001.9).
- (10) 小関健, 「光伝送回路」, 電子情報通信学会, 第12章 (2000).
- (11) S. Kawanishi, H. Takara, K. Uchiyama, I. Shake and K. Mori, “3 Tbit/s (160 Gbit/s x 19 ch) OTDM/WDM transmission experiment”, *OFC '99*, **PD1**, San Diego, USA (1999.2).
- (12) H. Anis, G. Berkey, G. Bordogna, M. Cavallari, B. Charbonnier, A. Evans, I. Hardcastle, M. Jones, G. Pettitt, B. Shaw, V. Srikant and J. Wakefield, “Continuous dispersion managed fiber for very high speed soliton systems”, *ECOC '99*, vol.1, pp.230–231, Nice, France (1999.9).
- (13) M. Nakazawa, “Tbit/s OTDM technology”, *ECOC '01*, **TU.L.2.3**, Amsterdam, The Netherlands (2001.9).
- (14) A. Sahara, H. Kubota and M. Nakazawa, “Q-factor contour mapping for evaluation of optical transmission systems: soliton against NRZ against RZ pulse at zero group velocity dispersion”, *Electron. Lett.*, vol.32, no. 10, pp.915–916, (1996.5).
- (15) 下浦一宏、金岡泰宏、青海恵之、”RZパルス伝送に適した分散およびピークパワー”, 電子情報通信学会総合大会, **C-342**, 東京工業大学 (1996.3).
- (16) K. Shimoura, I. Yamashita and S. Seikai, “Optimization of dispersion compensation for long distance 40 Gbit/s soliton transmission lines by Q-map method”, *Massive WDM and TDM Soliton Transmission Systems*, pp. 211–223, A. Hasegawa Ed. Kluwer Academic Publishers (2000).
- (17) K. Shimoura, I. Yamashita and S. Seikai, “Location effect of dispersion compensation elements in 40Gbit/s soliton transmission line”, *ECOC2000*, **9.1.5** Munich, Germany (2000.9).
- (18) I. Yamashita, K. Shimoura, M. Inoguchi and S. Seikai, “Single channel 80 Gbit/s OTDM transmission through a 800 km dispersion shifted fiber”, *ECOC2000*, **6.1.5** Munich, Germany (2000.9).
- (19) K. Shimoura, I. Yamashita, and S. Seikai, “Optimization of high-speed TDM and WDM lines by Q-map method”, *OFSET2000*, pp.309–312, Osaka, Japan (2000.12).
- (20) K. Shimoura, Y. Kanaoka, I. Yamashita and S. Seikai, “40 Gbit/s (4 x 10 Gbit/s) WDM soliton field experiment using OPGW”, *ECOC '99*, **P3.1**, Nice, France (1999.9).
- (21) K. Shimoura, “Self-consistent simulation studying environment for the design of high-speed

- optical communication lines”, *SAC2001*, pp.73-76, Las Vegas, USA (2001.3).
- (22) <http://www.scat.or.jp/total/total.html>
- (23) 大越孝敬, 「光ファイバ通信」, 岩波新書 (1993).
- (24) 増田米二, 正村公宏, 「高度情報社会は人間をどう変えるか?」, TBS ブリタニカ (1984).
- (25) A. Hasegawa and Y. Kodama, “*Solitons in Optical Communications*,” Chap. 3, Oxford University Press (1995).
- (26) G. P. Agrawal, “*Nonlinear Fiber Optics*”, Chap. 2, Academic Press, Inc. (1989).
- (27) 岡本勝就, 「光導波路の基礎」, コロナ社, 第7章 (1992).
- (28) ステューブ・ウルフラム, “*Mathematica Book* (第2版)”, アジソン・ウエスレイ (1992).
- (29) Y. Namihira, “Effect of optical pulse broadening on nonlinear refractive index measurements by self-phase modulation at  $1.55 \mu\text{m}$ ”, *OECC'96*, **17C2-3** (1996.7).
- (30) 波平宜敬, “光ファイバの非線形定数測定”, 電子情報通信学会総合大会, **SB-13-4** (1997.3).
- (31) F. Forghieri, “Modeling of wavelength multiplexed lightwave systems”, *OFC'97*, Tutorial, Dallas, USA (1997.2).
- (32) A. Hasegawa and F. D. Tappert, “Transmission of stationary nonlinear optical pulses in dispersive dielectric fibers. I. Anomalous dispersion”, *Appl. Phys. Lett.*, **23**, pp.142-144 (1973).
- (33) A. Hasegawa and Y. Kodama, “Signal transmission by optical solitons in monomode fiber”, *Proc. IEEE*, **69**, 1145-1150 (1981).
- (34) L. F. Mollenauer and K. Smith, “Demonstration of soliton transmission over more than 4000 km in fiber with loss periodically compensated by Raman gain”, *Optics Lett.*, **13**, pp.675-677 (1988).
- (35) M. Nakazawa, K. Suzuki, H. Kubota, E. Yamada and Y. Kimura, “Dynamic optical soliton communication”, *IEEE J. Quantum Electron.*, **26**, pp.2095-2102 (1990).
- (36) J. M. Jacob, E. A. Golovchenko, A. N. Pilipetskii, G. M. Carter and C. R. Menyuk, “Experimental demonstration of soliton transmission over 28 Mm using mostly normal dispersion fiber”, *IEEE Photon. Technol. Lett.*, **9**, pp.130-132 (1997).

- (37) M. Suzuki, I. Morita, N. Edagawa, S. Yamamoto, H. Taga, and S. Akiba, "Reduction of Gordon-Haus timing jitter by periodic dispersion compensation in soliton transmission", *Electron. Lett.*, **31**, pp.2027-2029 (1995).
- (38) A. Hasegawa and Y. Kodama, "Guiding-center soliton in optical fibers", *Optics Lett.*, **15**, pp.1443-1445 (1990).
- (39) A. Hasegawa, Y. Kodama and A. Maruta "Recent progress in dispersion-managed soliton transmission technologies", *Optical Fiber Technology*, **3**, pp.197-213 (1997).
- (40) L. F. Mollenauer and P. V. Mamyshev, "Massive Wavelength-Division Multiplexing with Solitons," *IEEE Journal of Quantum Electronics*, **34**, pp.2089-2102 (1998).
- (41) K. Shimoura and S. Seikai, "Fiber dispersion and Amplifier output power design for soliton transmission systems", *IEICE Trans.* **E81-C**, pp.235-239 (1998).
- (42) M. Nakazawa, K. Suzuki, E. Yamada, H. Kubota, Y. Kimura and M. Takaya, "Experimental demonstration of soliton data transmission over unlimited distances with soliton control in time and frequency domains", *Electron. Lett.*, **29**, pp.729-730 (1993).
- (43) 下浦一宏、金岡泰宏、青海恵之, "不等増幅器間隔線路におけるソリトン伝送の検討", 電子情報通信学会総合大会, **B-10-87** (1998.3).
- (44) G. P. Agrawal, "*Fiber-Optic Communication Systems*", Chap. 8, John Wiley & Sons, Inc. (1992).
- (45) N. S. Bergano, F. W. Kerfoot and C. R. Davidson, "Margin measurements in optical amplifier systems," *IEEE Photon. Technol. Lett.*, **5**, pp.304-306 (1993).
- (46) 縣亮、田中啓治、枝川登, "40 Gbit/s ベース長距離WDM伝送システムに対する最適RS符号に関する一検討", 電子情報通信学会ソサイエティ大会, **B-10-72** (2001.9).
- (47) L. Boivin and G. J. Pendock, "Receiver sensitivity for optically amplified RZ signals with arbitrary duty cycle", *OAA '99*, pp.292-295, Nara, Japan (1999.6).
- (48) J. Farre and T. Ono, "Implementable soliton system design", *Physics and Applications of Optical Solitons in Fibres*, pp. 351-363, A. Hasegawa Ed. Kluwer Academic Publishers (1996).
- (49) K. Shimoura, Y. Kanaoka, and S. Seikai, "Ultra-long distance soliton transmission line design by two-dimensional pulse width evaluation method", *New Trends in Optical Soliton*

- Transmission Systems*, pp. 83–92, A. Hasegawa Ed. Kluwer Academic Publishers (1998).
- (50) K. Shimoura and S. Seikai, “Two extremely stable conditions of optical soliton transmission in periodic dispersion compensation lines”, *IEEE Photon. Technol. Lett.*, **11**, pp.200–202 (1999).
- (51) A. H. Liang et al., “High-speed soliton transmission in dense periodical fibers”, *Optics Lett.*, **24**, 799–801 (1999).
- (52) T. Yu, E. A. Golovchenko, A. N. Pilipetskii and C. R. Menyuk, “Dispersion-managed soliton interaction in optical fibers”, *Optics Lett.*, **22**, pp.793–795 (1997).
- (53) T. Hirooka, T. Nakada and A. Hasegawa, “Feasibility of densely dispersion managed soliton transmission at 160 Gb/s”, *IEEE Photon. Technol. Lett.*, **12**, pp.633–635 (2000).
- (54) N. J. Smith, N. J. Doran, F. M. Knox and W. Forsyia, “Energy-scaling characteristics of solitons in strongly dispersion-managed fibers”, *Optics Lett.* **21**, 1981–1983 (1996).
- (55) 長谷川晃, ”平成12年度研究報告書“, 長谷川研究室 (2001.3)
- (56) N. Shimojoh, T. Naito, T. Tanaka, H. Nakamoto, T. Ueki, A. Sugiyama, K. Torii and M. Suyama, “2.4-Tbit/s WDM transmission over 7400 km using all Raman amplifier repeaters with 74 nm continuous single band”, *ECOC’01*, **PD.M.1.4**, Amsterdam, The Netherlands (2001.9).
- (57) 下浦一宏、金岡泰宏、山下育男、竹中保、青海恵之、猪口勝司, “大黒部幹線OPGWにおける光ソリトン伝送実験”, 電気学会通信研究会資料, **CMN-98-36**, 北海道電力函館支店 (1998.6).
- (58) 金岡泰弘、山下育男、下浦一宏、青海恵之、猪口勝司, “電力会社の通信網を考慮した波長多重伝送の検討”, 電気学会論文誌C, **120-C**, no.3, pp.330–336 (2000).
- (59) L. F. Mollenauer, S. G. Evangelides and H. A. Haus, “Long-distance soliton propagation using lumped amplifiers and dispersion shifted fiber”, *J. Lightwave Technol.*, **9**, pp.194–197 (1991).
- (60) M. Nakazawa and H. Kubota, “Optical soliton communication in a positively and negatively dispersion-allocated optical fibre transmission line”, *Electron. Lett.*, **31**, pp.216–217 (1995).
- (61) T. S. Yang and W. L. Kath, “Analysis of enhanced-power solitons in dispersion-managed optical fibers”, *Optics Lett.*, **22**, pp.985–987 (1997).

- (62) M. Matsumoto, "Theory of stretched-pulse transmission in dispersion-managed fibers", *Optics Lett.*, **22**, pp.1238-1240 (1997).
- (63) A. Sahara, H. Kubota and M. Nakazawa, "Optimum fiber dispersion for two-step dispersion-allocated optical soliton, RZ at zero-GVD and NRZ systems", *IEEE Photon. Technol. Lett.*, **9**, pp.1179-1181 (1997).
- (64) I. Morita et al., "40 Gbit/s single-channel soliton transmission over 10200 km without active inline transmission control", *ECOC'98*, Madrid, Spain, (1998).
- (65) F. Matera and M. Settembre, "Role of Q-factor and time jitter in the performance evaluation of optically amplified transmission systems", *IEEE J. Selected Topics in Quantum Electronics*, **6**, pp. 308-316, (2000).
- (66) E. A. Golovchenko et al., "Modeling of transoceanic fiber-optic WDM communication systems", *IEEE J. Selected Topics in Quantum Electronics*, **6**, pp. 337-347, (2000).
- (67) <http://www.napster.com/>
- (68) <http://fampm201.tu-graz.ac.at/karl/mma.html>
- (69) <http://smc.vnet.net/mathkarl4.html>
- (70) <http://cruel.org/freeware/magicpot.html>
- (71) <http://cruel.org/freeware/cathedral.html>
- (72) <http://groupware.good-day.co.jp/demo/>
- (73) <http://www.good-day.co.jp/index.html>
- (74) <http://setiathome.ssl.berkeley.edu/>
- (75) 「超高速フォトニックネットワークの開発推進に関する中間報告書(案)」, 超高速フォトニックネットワーク開発推進協議会 (2001.6).